

Residential Structure Fire Causes

Report Parameters:

Report Period: 1/1/01 - 12/31/01

Version: Both

Status: All

Released: All

Report Filters: No Filters Applied

NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group 2 AND Group 3 etc...)

State: NE

Report FDIDs: All

Residential Structure Fire Causes

State: NE Report Period: 1/1/01 - 12/31/01

CODE	CATEGORY	FREQ	FREQ %	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTH %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
01	Incendiary, Suspicious	140	10.17%	5	23.81%	15	27.27%	0	0.00%	4	12.50%	4,350,502	27.51%	235,925	11.78%	4,586,427	25.74%
02	Children Playing	30	2.18%	0	0.00%	2	3.64%	0	0.00%	0	0.00%	352,300	2.23%	0	0.00%	352,300	1.98%
03	Smoking	55	4.00%	5	23.81%	4	7.27%	0	0.00%	5	15.63%	592,695	3.75%	95,500	4.77%	688,195	3.86%
04	Heating	104	7.56%	0	0.00%	3	5.45%	0	0.00%	1	3.13%	824,796	5.22%	111,663	5.57%	936,459	5.26%
05	Cooking	348	25.29%	0	0.00%	4	7.27%	0	0.00%	0	0.00%	624,321	3.95%	91,736	4.58%	716,057	4.02%
06	Electrical Distribution	69	5.01%	5	23.81%	3	5.45%	0	0.00%	6	18.75%	1,609,320	10.18%	57,140	2.85%	1,666,460	9.35%
07	Appliances, Air Conditioning	31	2.25%	1	4.76%	0	0.00%	0	0.00%	1	3.13%	141,605	0.90%	71,400	3.56%	213,005	1.20%
08	Open Flame, Ember, Torch	98	7.12%	0	0.00%	4	7.27%	0	0.00%	1	3.13%	1,151,200	7.28%	182,905	9.13%	1,334,105	7.49%
09	Other Heat, Flame, Spark	43	3.13%	0	0.00%	1	1.82%	0	0.00%	0	0.00%	283,850	1.80%	35,650	1.78%	319,500	1.79%
10	Other Equipment	16	1.16%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	218,600	1.38%	1,300	0.06%	219,900	1.23%
11	Natural	37	2.69%	0	0.00%	1	1.82%	0	0.00%	1	3.13%	1,095,200	6.93%	86,500	4.32%	1,181,700	6.63%
12	Exposure	23	0.94%	2	9.52%	0	0.00%	0	0.00%	2	6.25%	399,800	2.53%	500	0.02%	400,300	2.25%
13	Unknown Cause	392	28.49%	3	14.29%	18	32.73%	0	0.00%	11	34.38%	4,168,000	26.36%	1,033,220	51.57%	5,201,220	29.19%
Totals		1,386	100.00%	21	100.00%	55	100.00%	0	100.00%	32	100.00%	15,812,189	100.00%	2,003,439	100.00%	17,815,628	100.00%